

**OLYMPUS DISINFECTANT**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : OLYMPUS DISINFECTANT  
Product code : 107524E  
Use of the Substance/Mixture : Instrument Disinfectant  
Substance type: : Mixture

**For professional users only.**

Product dilution information : No dilution information provided.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Medical devices . Semi-automatic process  
Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : OLYMPUS Deutschland GmbH  
Wendenstraße 14-18  
Hamburg, Germany 20097  
040-23773-0

**1.4 Emergency telephone number**

Emergency telephone number : 0049-2173-5991700 (24/7)  
Poison Information Centre telephone number : +49 (0)551 19240  
Date of Compilation/Revision version : 21.10.2016 : 1.3

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity, Category 4	H302
Acute toxicity, Category 4	H332
Skin corrosion, Category 1B	H314
Serious eye damage, Category 1	H318
Respiratory sensitization, Category 1	H334
Skin sensitization, Category 1	H317
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335

**OLYMPUS DISINFECTANT**

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H302 + H332 Harmful if swallowed or if inhaled H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.
Precautionary Statements	:	<b>Prevention:</b> P280 Wear protective gloves/ eye protection/ face protection. P284 Wear respiratory protection. <b>Response:</b> P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:  
 glutaraldehyde  
 methanol

2.3 Other hazards

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
glutaraldehyde	111-30-8 203-856-5 01-2119455549-26	Acute toxicity Category 3; H301 Acute toxicity Category 3; H331 Skin corrosion Category 1B; H314 Respiratory sensitization Category 1; H334 Skin sensitization Category 1; H317 Acute aquatic toxicity Category 1;	>= 20 - < 25

**OLYMPUS DISINFECTANT**

		H400	
methanol	67-56-1 200-659-6 01-2119433307-44	** Flammable liquids Category 2; H225 Acute toxicity Category 3; H301 Acute toxicity Category 3; H331 Acute toxicity Category 3; H311 Specific target organ toxicity - single exposure Category 1; H370	>= 0.1 - < 0.25
Substances with a workplace exposure limit :			
ethanol	64-17-5 200-578-6 01-2119457610-43	Flammable liquids Category 2; H225	>= 5 - < 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

**OLYMPUS DISINFECTANT**

- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.  
Beware of vapours accumulating to form explosive concentrations.  
Vapours can accumulate in low areas.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**5.3 Advice for firefighters**

- Special protective equipment for firefighters : Use personal protective equipment.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

- Advice for non-emergency personnel : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

- Environmental precautions : Do not allow contact with soil, surface or ground water.

**6.3 Methods and materials for containment and cleaning up**

- Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

- See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**OLYMPUS DISINFECTANT**

**7.1 Precautions for safe handling**

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**7.2 Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 25 °C

**7.3 Specific end uses**

- Specific use(s) : Medical devices . Semi-automatic process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
glutaraldehyde	111-30-8	AGW	0.05 ppm 0.2 mg/m3	TRGS 900
Further information	AGS	Commission for dangerous substances		
	Y	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
	Sah	Substance sensitizing through the skin and respiratory system		
ethanol	64-17-5	AGW	500 ppm 960 mg/m3	TRGS 900
Further information	DFG	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).		
	Y	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
methanol	67-56-1	AGW	200 ppm 270 mg/m3	TRGS 900
Further information	DFG	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).		
	EU	European Union (The EU has established a limit value: deviations in value and peak limit are possible)		
	H	Skin absorption		
	Y	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		

**OLYMPUS DISINFECTANT**

**Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
methanol	67-56-1	methanol: 30 mg/l (Urine)	Immediately after exposition or after working hours, In case of long-term exposition: after more than one shift	TRGS 903

**DNEL**

methanol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Acute systemic effects Value: 40 mg/cm <sup>2</sup>
		End Use: Workers Exposure routes: Inhalation Potential health effects: Acute systemic effects Value: 260 mg/m <sup>3</sup>
		End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 260 mg/m <sup>3</sup>
		End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 40 mg/cm <sup>2</sup>
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 260 mg/m <sup>3</sup>
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 260 mg/m <sup>3</sup>
		End Use: Consumers Exposure routes: Dermal Potential health effects: Acute systemic effects Value: 8 mg/cm <sup>2</sup>
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute systemic effects Value: 50 mg/m <sup>3</sup>
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Acute systemic effects Value: 8 ppm
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 50 mg/m <sup>3</sup>
		End Use: Consumers Exposure routes: Dermal

**OLYMPUS DISINFECTANT**

	Potential health effects: Long-term systemic effects Value: 8 mg/cm <sup>2</sup>
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m <sup>3</sup>
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 8 ppm
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 50 mg/m <sup>3</sup>

**PNEC**

methanol	:	Fresh water Value: 154 mg/l
		Marine water Value: 15.4 mg/l
		Intermittent use/release Value: 1540 mg/l
		Sediment Value: 570.4 mg/kg
		Soil Value: 23.5 mg/kg
		Sewage treatment plant Value: 100 mg/l

**8.2 Exposure controls**

**Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles  
Face-shield

Hand protection (EN 374) : Recommended preventive skin protection  
Gloves

**OLYMPUS DISINFECTANT**

Nitrile rubber  
butyl-rubber  
Breakthrough time: 1 – 4 hours  
Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : colourless  
Odour : Disinfectants  
pH : 3.5, 100 %  
Flash point : 55 °C closed cup, Does not sustain combustion.  
Odour Threshold : Not applicable and/or not determined for the mixture  
Melting point/freezing point : Not applicable and/or not determined for the mixture  
Initial boiling point and boiling range : Not applicable and/or not determined for the mixture  
Evaporation rate : Not applicable and/or not determined for the mixture  
Flammability (solid, gas) : Not applicable and/or not determined for the mixture  
Upper explosion limit : Not applicable and/or not determined for the mixture  
Lower explosion limit : Not applicable and/or not determined for the mixture  
Vapour pressure : Not applicable and/or not determined for the mixture  
Relative vapour density : Not applicable and/or not determined for the mixture  
Relative density : 1.04  
Water solubility : soluble  
Solubility in other solvents : Not applicable and/or not determined for the mixture  
Partition coefficient: n-octanol/water : Not applicable and/or not determined for the mixture  
Auto-ignition temperature : Not applicable and/or not determined for the mixture



**OLYMPUS DISINFECTANT**

Thermal decomposition : Not applicable and/or not determined for the mixture  
Viscosity, kinematic : Not applicable and/or not determined for the mixture  
Explosive properties : Not applicable and/or not determined for the mixture  
Oxidizing properties : The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

Decomposition products may include the following materials:

Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : Acute toxicity estimate : 738.92 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 2.48 mg/l

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg

**OLYMPUS DISINFECTANT**

- Skin corrosion/irritation : There is no data available for this product.
- Serious eye damage/eye irritation : There is no data available for this product.
- Respiratory or skin sensitization : There is no data available for this product.
- Carcinogenicity : There is no data available for this product.
- Reproductive effects : There is no data available for this product.
- Germ cell mutagenicity : There is no data available for this product.
- Teratogenicity : There is no data available for this product.
- STOT - single exposure : There is no data available for this product.
- STOT - repeated exposure : There is no data available for this product.
- Aspiration toxicity : There is no data available for this product.

**Components**

- Acute oral toxicity : glutaraldehyde  
LD50 rat: 150 mg/kg
- ethanol  
LD50 rat: 10,470 mg/kg
- Acute inhalation toxicity : glutaraldehyde  
4 h LC50 rat: > 0.5 mg/l
- ethanol  
4 h LC50 rat: 117 mg/l
- Acute dermal toxicity : ethanol  
LD50 rabbit: > 15,800 mg/kg

**Potential Health Effects**

- Eyes : Causes serious eye damage.
- Skin : Causes severe skin burns. May cause allergic skin reaction.
- Ingestion : Causes digestive tract burns.
- Inhalation : May cause allergic respiratory reaction. May cause respiratory tract irritation. May cause nose, throat, and lung irritation.
- Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

- Eye contact : Redness, Pain, Corrosion
- Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions
- Ingestion : Corrosion, Abdominal pain

**OLYMPUS DISINFECTANT**

Inhalation : Respiratory irritation, Cough, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

**Components**

Toxicity to fish : methanol  
96 h LC50: 15,400 mg/l  
  
ethanol  
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : glutaraldehyde  
48 h EC50 Daphnia: 0.35 mg/l  
  
methanol  
48 h EC50: > 10,000 mg/l

**Components**

Toxicity to algae : methanol  
72 h EC50: 22,000 mg/l

**12.2 Persistence and degradability**

**Product**

no data available

**Components**

Biodegradability : glutaraldehyde  
Result: Readily biodegradable.  
  
methanol  
Result: Readily biodegradable.  
  
ethanol  
Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**OLYMPUS DISINFECTANT**

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

Product : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

14.1 UN number : 3265

14.2 UN proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Glutaraldehyde)

14.3 Transport hazard class(es) : 8

14.4 Packing group : III

14.5 Environmental hazards : No

**OLYMPUS DISINFECTANT**

14.6 Special precautions for user : None

**Air transport (IATA)**

14.1 UN number : 3265  
 14.2 UN proper shipping name : Corrosive liquid, acidic, organic, n.o.s.  
 (Glutaraldehyde)  
 14.3 Transport hazard class(es) : 8  
 14.4 Packing group : III  
 14.5 Environmental hazards : No  
 14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

14.1 UN number : 3265  
 14.2 UN proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
 (Glutaraldehyde)  
 14.3 Transport hazard class(es) : 8  
 14.4 Packing group : III  
 14.5 Environmental hazards : No  
 14.6 Special precautions for user : None  
 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

**Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Hazard class for water : WGK 3  
 Classification according VwVwS, Annex 4.

German storage class : 8B

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Acute toxicity 4, H302	Calculation method
Acute toxicity 4, H332	Calculation method

**OLYMPUS DISINFECTANT**

Skin corrosion 1B, H314	Calculation method
Serious eye damage 1, H318	Calculation method
Respiratory sensitization 1, H334	Calculation method
Skin sensitization 1, H317	Calculation method
Specific target organ toxicity - single exposure 3, H335	Calculation method

**Full text of H-Statements**

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.

**Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

**OLYMPUS DISINFECTANT**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**ANNEX: EXPOSURE SCENARIOS**

**DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Respiratory sensitiser	glutaraldehyde	111-30-8	203-856-5
Ingestion	glutaraldehyde	111-30-8	203-856-5
Inhalation	glutaraldehyde	111-30-8	203-856-5
Dermal	glutaraldehyde	111-30-8	203-856-5
Eyes	glutaraldehyde	111-30-8	203-856-5
aquatic environment	glutaraldehyde	111-30-8	203-856-5

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

[www.ecetoc.org/tra](http://www.ecetoc.org/tra)

**Short title of Exposure Scenario** : **Medical devices . Semi-automatic process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Process categories : **PROC1:** Use in closed process, no likelihood of exposure  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release : **ERC8a:** Wide dispersive indoor use of processing aids in open

**OLYMPUS DISINFECTANT**

Categories

systems